

SAFETY DATA SHEET

1. Product Identification

Champion Brands, LLC 1001 Golden Drive Clinton, MO 64093 (660) 885-8151

Product line:
Products:
CAS:
Synonyms:
Recommended use:
Restrictions:
Created:
Revised:
Emergency phone:

Champion® RP Machine Oil 4224 Not applicable (Mixture) Rust preventive oil General purpose rust-preventive None determined 13 November 2014 20 June 2019 CHEMTREC: (+1) 800-424-9300

2. Hazards Identification

Appearance:
Odor:
Classification:
Target organs:

Amber to brown liquid Petroleum odor None



Symbol(s):	
Signal Word:	Danger
Hazard Statement(s):	May be fatal if swallowed and enters airways. Flammable liquid and vapor.
Other hazard(s):	This product produces oil sheen on bodies of water. Mists of sprays of this product may be harmful if inhaled. Prolonged or repeated exposure may cause eye or skin irritation.
Precaution(s):	Avoid breathing vapors/mist/spray. IF SWALLOWED: Do NOT induce vomiting. Get immediate medical attention. Avoid release to the environment.
Disposal:	Keep out of waterways. Check local, national, and international regulations for proper disposal

3. Composition/Information on Ingredients

Hazardous Ingredients:

Component	CAS No.	Conc (wt%)
Highly refined lubricating oils	Mixture	1 – 5
Light Hydrotreated Distillates	64742-47-8	40 – 50
Heavy hydrotreated napthenic distillates (petroleum)	64742-52-5	40 – 50

4.	First Aid Measures	

Eyes	Flush eyes with running water for at least 15 minutes. Get medical attention if irritation persists
Skin	Thoroughly wash affected area with soap and water. Remove contaminated clothing and launder before reuse. Use a moisturizer or skin balm if excessive drying occurs
Inhalation	Move to fresh air. If nausea or other symptoms persist, get medical attention. If not breathing, give artificial respiration. If breathing is difficult, give oxygen and get medical attention immediately.
Ingestion	DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, lower head below hips to reduce risk of aspiration. Get immediate medical attention
Additional Info	Note to physician: treat symptomatically.
5. Fire Fighting Meas	sures
Flash Point	> 37.7°C / 100°F (based on flammability of components)
Extinguishing Media	Use water spray, fog, foam, dry chemical or CO2
Unsuitable Media	Water jet may cause fire to spread
	es: Fire-fighters should wear positive pressure self-contained

- breathing apparatus (SCBA) and full turnout gear
- Unusual Hazards See section 10 for additional information

6. Accidental Release Measures

Personal precautions,	protective equipment, and emergency procedures: Keep unnecessary personnel away. Wear appropriate personal protective equipment for emergency. Ventilate if released in a confined area. Eliminate sources of ignition if it is safe to do so. Wear suitable personal protective equipment and stop the spread of material will adsorbent or socks if safe to do so.
Environmental precau	itions: Avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways or groundwater. Produces oil sheen on waterways. Toxic to aquatic organisms
Methods for removal:	Use a pump or bucket to recover free liquid. Residual liquid can be absorbed on inert material. Use non-sparking tools.
7. Handling and Stor	age
Max. Handling Temp: Procedures:	70°C / 158°F Open container in a cool, well ventilated area. Avoid breathing vapors. Keep containers closed when not in use. Use appropriate containment to avoid environmental contamination. Avoid use in confined areas without adequate ventilation. Areas of inadequate ventilation could contain concentrations high enough to cause eye irritation, headaches, respiratory discomfort or nausea. Avoid breathing dust, fume, gas, mist, vapors, or spray. Wash thoroughly after handling. Launder contaminated clothing before reuse. Empty container contains product residue which may exhibit hazards of the product. Dispose of packaging or containers in accordance with local, regional, national, and international regulations. Store away from strong oxidizers
Max Store Temp:	50°C / 122°F

8. Exposure Controls/Personal Protection

Exposure Limits Guidelines by component

Mineral Oil (mists) OSHA TWA: 5 mg/m3 ACGIH TWA: 5 mg/m3 TWA (Canada) 5 mg/m3 STEL (Canada) 10 mg/m3 EH40-MEL 5 mg/m3, 8 hours NOHSC 5 mg/m3, 8 hours

Other Exposure Limits: None known

Engineering Controls: Use in a well ventilated area. Where possible, cover sources of oil sprays and mists with adsorbent cloth to minimize exposure to mineral oil mists. Keep concentrations of mist below exposure limits

Personal Protective Equipment

Respiratory:	Where mineral oil mists are generated – use full face
	respirator with organic vapor cartridge.

- Eye: Wear safety glasses where splashing or splattering may occur
- **Gloves:** Use nitrile or neoprene gloves. If material is hot, use appropriately insulated gloves.
- Clothing: Use neoprene or nitrile gloves. When handling at elevated temperatures, use insulated apron or coat. Launder contaminated clothing before reuse
- **Hygiene:** Wash thoroughly after handling this product.

9. Physical and Chemical Properties

Appearance	Colorless to pale straw liquid
Odor	Petroleum odor
Odor threshold	Not determined
рН	Not determined
Melting Point	Not determined
Initial Boiling Pt/Rng	Not determined
Flash Point	> 37.7°C / 100°F (estimated based on components)

Evaporation Rate	Not determined
Upper Flammable Lm	Not determined
Lower Flammable Lm	Not determined
Explosive Data	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Volatile Organics	Not determined
Density	0.8 mg/cu. cm @15.6°C
Solubility	Insoluble in water, alcohols; soluble in organics
Kow	Not determined
Viscosity	4 mm²/s @ 40°C
Autoignition Point	Not determined
Decomposition Temp	Not determined

10. Stability and Reactivity

Stability	Material is normally stable at normal temperatures and	
	pressures	
Decomposition Temp	Not determined	
Incompatibility	Oxidizers and reducers	
Polymerization	Will not occur	
Thermal Decomposition Smoke, oxides of carbon		
Conditions to Avoid	Keep away from heat, flames, strong oxidizers and strong reducing agents	

11. Toxicological Information

- Acute Exposure -

Eye Irritation	Not expected to cause eye irritation by acute exposure. Prolonged or repeated exposure may cause irritation
Skin Irritation	Not expected to cause skin irritation by acute exposure. Prolonged or repeated exposure may cause irritation, or dryness/cracking of the skin.
Respiratory Irritation	Mists of mineral oils, if inhaled, may be irritating. Acute exposure above the permissible
Dermal Toxicity	Not expected to be toxic to the skin.
Inhalation Toxicity	Inhalation of this product is not expected to be toxic. Exposure to mineral oil mists may be harmful. Symptoms of over-exposure to mineral oil mists may be similar to that of pneumonia.
Oral Toxicity	Not expected to be harmful. LD50 in rats exceeds 5g/Kg.

Aspiration Hazard	This product may be fatal if swallowed and enters airways, particularly in those with weakened respiratory systems.			
Chronic Toxicity Carcinogenicity	- Chronic Exposure – No data available to indicate product or components present at greater than 0.2% are chronic health hazards This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test. A component of this product produced chromosomal aberrations in hamster lymphatic systems, but only at doses that were overtly toxic to cells (OECD 473) No data available to indicate product or any components at greater than 0.1% may cause reproductive toxicity. No data available to indicate product or any components at greater than 0.1% may cause teratogenic effects.			
Mutagenicity				
Reproductive Toxicity				
Teratogenicity				
Other	- Additional Information – No other health hazards known			
12. Ecological Information				
Miscellaneous	- Environmental Toxicity – No LD/LC/EC50 data was collected for this product. Classification is based on classification of components and summation formula. Expected to be very toxic to aquatic organisms with chronic, long-lasting effects.			
Biodegradation	- Environmental Fate – The petroleum oil in this product is not readily biodegradable, but can be broken down by microorganisms and is therefore considered to be inherently biodegradable. Some components of this product may persist in the environment			
Bioaccumulation	The petroleum oil in this product has a Kow greater than 5.3 and is regarded as having the potential to bioaccumulate. In			
Soil Mobility	practice, metabolic processes may reduce this potential. This product is expected to have low soil mobility due to very low water solubility and low vapor pressure. Petroleum oils adsorb to soil and sediment. Once adsorbed, the product is			
Other Effects	expected to adhere to soil until it is slowly biodegraded.			

13. Disposal Considerations

Disposal Considerations

All disposal practices must be in accordance with local, regional, national, and international regulations. Do not dispose in a landfill. Wherever possible, recycle product to used oil collection facilities in accordance with applicable regulations.

Contaminated Containers or Packaging

Dispose of packaging or containers in accordance with local, regional, national, and international regulations

14. Transportation Information

Description shown may not apply to all shipping situations. Consult applicable shipping codes to determine any additional shipping requirements

US DOTUN1993 Flammable liquids n.o.s. (petroleum distillates), PGIIIUN NoUN1993UN Proper NameFlammable liquids n.o.s. (petroleum distillates)UN Class3Packing GroupIIIMarine Pollutant*No*Product contains petroleum oil – please review MARPOL Annex I before shipping this product navigable water.

IMDG UN1993 Flammable liquids n.o.s. (petroleum distillates), PGIII
*U.S. DOT compliance requirements may apply. See 49 CFR 171.22, 23 & 25. If transported in bulk by marine vessel in international waters, product is being carried under the scope of MARPOL Annex I.

ICAO/IATA UN1993 Flammable liquids n.o.s. (petroleum distillates), PGIII

15. Regulatory Information

	- Global Chemical Inventories –
USA	All components of this material are on the US TSCA or are exempt
Other TSCA Reg.	None known
EU	Components of this product comply with EU 7 th Amendment and are approved for EU sales. Records must be maintained and reported to EU only registrants if product is imported to the EU. Third party importers are asked to report every EU import to Champion Brands, LLC.
New Zealand	All components are listed or exempted
Canada	All components are in compliance with the Canadian
	Environmental Protection Act and are present on the Domestic Substances List

- Other U.S. Federal Regulations –

SARA Ext. Haz. Subst. This product does not contain greater than 1.0% of any chemical on the SARA Extremely Hazardous Substances list.

SARA Sect. 311/312	Acute Hazard Chronic Hazard Fire Hazard Reactivity Hazard	- YES - NO - YES - NO
CERCLA	None - State Reg	ulations –
CA Prop 65	This product does r	not contain ingredients known to the State se cancer, reproductive toxicity or birth

Right to Know Component

Right to Know States

- Other –

16. Other Information

Revision updates may be in many sections and the MSDS should be read in its entirety. Prepared according to the UN Globally Harmonized System for the Classification and Labeling of Chemicals (GHS) by Champion LLC, 1001 Golden Drive, Clinton, Missouri 64735.

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate to the best knowledge of Champion Brands, L.L.C. Champion Brands, L.L.C., makes no warranty whatsoever expressed or implied of merchantability or fitness for the particular purpose, regarding the accuracy of such data or the results to be obtained from the use thereof. Champion Brands, L.L.C., assumes no legal responsibility for use or reliance upon this data. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.