



Champion Super Grade Motor Oils

CHAMPION SUPER GRADE MOTOR OIL series are economy class mono and multi-grade gasoline engine oils designed and licensed to meet API service category SN and ILSAC GF-5 specifications where applicable.

- **Multi-viscosity oils are friction modified for added fuel mileage savings**
- **Meets SAE specifications and meets both domestic and foreign OEM warranty requirements for use in gasoline and turbo charged gasoline engines**
- **Good anti-wear and cold flow protection during start up when wear is most significant**
- **Good detergency to keep engine parts clean**
- **Universal compatibility with other passenger car motor oils**

CHAMPION SUPER GRADE MOTOR OILS are recommended for service fill engine oil replacement in all domestic and foreign cars, SUVs, and ATVs including;

• Acura • Chrysler • Ford • GMC • Honda • Infiniti • Isuzu • KIA • Lexus • Lincoln
• Mercury • Mercedes Benz • Mitsubishi • Saturn • Toyota • Volvo

See Your Owners Manual for Viscosity Recommendation

TYPICAL SPECIFICATION

| SAE Grade | 10W-40 | HD 30 |
|---------------------|---------|---------|
| Product Code | 4030 | 4033 |
| MSDS # | 100 | 100 |
| Base | Non-Syn | Non-Syn |
| API Service | SN | SN |
| ILSAC | - | - |
| Ford | - | - |
| General Motors | - | - |
| Gravity API @ 60 °F | 30.6 | 29.1 |
| Pour Point °F | -32 | -27 |
| Flash Point °F | 403 | 406 |
| SUS @ 104 °F | 429 | 440 |
| SUS @ 212 °F | 73 | 64 |
| cSt @ 40 °C | 92.5 | 95.0 |
| cSt @ 100 °C | 13.7 | 11.3 |
| TBN, mg KOH/gm | 8.30 | 8.30 |
| Sulfated Ash %wt | 0.90 | 0.91 |
| Color | 3.0 | 3.0 |
| Viscosity Index | 152 | 106 |

Effective 12/11

CHAMPION BRANDS, L.L.C. • 1001 GOLDEN DRIVE • CLINTON, MO 64735
ORDER DESK 800-821-5693