# R-TECH IUBBICANTS

# **SAFETY DATA SHEET**

### 1. Identification

Product identifier Mineral Seal Oil

Other means of identification

Product code 4151

Synonyms Champion Mineral Seal Oil

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information
Manufacturer/Supplier Champion Brands, LLC

1001 Golden Drive Clinton, MO 64735 1-800-821-5693

**General Assistance** 

E-Mail

technical@championbrands.com

**Emergency Telephone** 24 Hour Emergency 866-565-5220

1-800-424-9300 (CHEMTREC USA)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May be fatal if swallowed and enters airways.

Precautionary statement

**Prevention** Wear protective gloves/protective clothing/eye protection/face protection.

Response Not available.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Category 1

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	%
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	100
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	100

### 4. First-aid measures

**Inhalation** If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Mineral Seal Oil

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014 1 / 7

Skin contact Remove contaminated clothing and shoes. Wash off immediately with soap and plenty of water.

Get medical attention if irritation develops or persists. Wash clothing separately before reuse.

Destroy or thoroughly clean contaminated shoes.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if symptoms occur.

Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth Ingestion

to an unconscious person. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Aspiration may cause pulmonary edema and

pneumonitis.

Most important

symptoms/effects, acute and delayed

May be fatal if swallowed and enters airways.

Indication of immediate

medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

Get medical attention if symptoms occur. Wash contaminated clothing before re-use. General information

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Not available.

Specific hazards arising from the chemical

Not applicable.

Special protective equipment and precautions for firefighters Not available.

Fire-fighting equipment/instructions

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid breathing mist or vapor. Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a sealed container for chemical

waste.

Large Spills: Flush area with water. Prevent runoff from entering drains, sewers, or streams. Dike for later disposal.

7. Handling and storage

Precautions for safe handling

Use only outdoors or in a well-ventilated area. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Observe good industrial hygiene

Conditions for safe storage, including any incompatibilities Store locked up. Store in a well-ventilated place. Keep container tightly closed.

### 8. Exposure controls/personal protection

Occupational exposure limits

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.	
		2000 mg/m3		
		500 ppm		
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	PEL	5 mg/m3	Mist.	
· · · · · · · · · · · · · · · · · · ·		2000 mg/m3		
		500 ppm		

### **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.

### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	STEL	10 mg/m3	Mist.	
	TWA	5 mg/m3	Mist.	
Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)	STEL	10 mg/m3	Mist.	
·	TWA	5 mg/m3	Mist.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** No exposure standards allocated.

Appropriate engineering

controls

Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

**Hand protection** Wear protective gloves.

Other Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Contact glove manufacturer for specific information.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Respirator type: Use NIOSH approved respirator with organic vapor/acid gas protection.

Thermal hazards When material is heated, wear gloves to protect against thermal burns.

Always observe good personal hygiene measures, such as washing after handling the material **General hygiene** and before eating, drinking, and/or smoking. Routinely wash work clothing and protective considerations

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** Oily, viscous liquid.

Physical state Liquid. **Form** Liquid.

Color Water white to pale straw.

Petroleum-like. Odor Not available. **Odor threshold** Not available.

-65 - -44 °F (-53.89 - -42.22 °C) Melting point/freezing point

Initial boiling point and boiling

range

> 446 °F (> 230 °C)

> 288.0 °F (> 142.2 °C) Pensky-Martens Closed Cup Flash point

Not available. **Evaporation rate** Not available. Flammability (solid, gas)

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.16 kPa

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble
Partition coefficient > 6

(n-octanol/water)

Auto-ignition temperature  $> 518 \, ^{\circ}\text{F} \ (> 270 \, ^{\circ}\text{C})$ Decomposition temperature  $> 536 \, ^{\circ}\text{F} \ (> 280 \, ^{\circ}\text{C})$ Viscosity Not available.

Other information

**Density** 902.00 - 910.00 kg/m3 at 59°F (15°C)

Kinematic viscosity 3.7 - 22 cSt Kinematic viscosity 104 °F (40 °C)

temperature

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardousHazardous polymerization does not occur.

reactions

Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

IngestionMay be fatal if swallowed and enters airways.InhalationMay be fatal if swallowed and enters airways.

Skin contact

Based on available data, the classification criteria are not met.

Eye contact

Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Swallowing or vomiting of the liquid may result in aspiration into the lungs.

### Information on toxicological effects

**Acute toxicity** May be fatal if swallowed and enters airways.

Components Species Test Results

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

**Acute**Dermal

LD50 Rabbit >= 5000 mg/kg

Oral

LD50 Rat  $\Rightarrow$  5000 mg/kg

Mineral Seal Oil

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014 4 / 7

Components Species Test Results

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

Acute

Inhalation

LD50 Rat 2.81 mg/l

Skin corrosion/irritation Not available.
Serious eye damage/eye Not available.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not assigned.
Skin sensitization Not assigned.
Germ cell mutagenicity Not assigned.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Distillates (petroleum), hydrotreated light naphthenic 3 Not classifiable as to carcinogenicity to humans.

(CAS 64742-53-6)

**NTP Report on Carcinogens** 

Distillates (petroleum), hydrotreated heavy naphthenic Known To Be Human Carcinogen.

(CAS 64742-52-5)

Reproductive toxicity Not assigned.

Specific target organ toxicity - Not assigned.

single exposure

Specific target organ toxicity -

repeated exposure

Not assigned.

**Aspiration hazard** May be fatal if swallowed and enters airways.

12. Ecological information

**Ecotoxicity** This material has not been tested for environmental effects.

Persistence and degradability No data available.

Bioaccumulative potential Has the potential to bioaccumulate.

Partition coefficient n-octanol / water (log Kow)

40-100 and Light Pale Oil (CAS Mixture) > 6

Mobility in soilNot available.Other adverse effectsNot available.

13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

**Transport in bulk according to** Not applicable. However, this product is a liquid and if transported in bulk covered under

Annex II of MARPOL 73/78 and MARPOL 73/78, Annex I.

the IBC Code

Mineral Seal Oil

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014

# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

### **US** state regulations

### **US. Massachusetts RTK - Substance List**

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

# US. New Jersey Worker and Community Right-to-Know Act

Distillates (petroleum), hydrotreated light naphthenic (CAS 64742-53-6)

# US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

# **US. Rhode Island RTK**

Not regulated.

### **US. California Proposition 65**

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Mineral Seal Oil

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014 6 / 7

Country(s) or region Inventory name On inventory (yes/no)\*

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date16-January-2014Revision date20-May-2014

Version # 03

**NFPA Ratings** 



References EPA: AQUIRE database

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

**Disclaimer** This material Safety Data Sheet (SDS) was prepared in accordance with 29 CFR 1910.1200

Champion Brands LLC does not assume any liability arising out of product use by others. The information, recommendations, and suggestions presented in this SDS are based upon test results and data believed to be reliable. The end user of the product has the responsibility for evaluating the adequacy of the data under the conditions of use, determining the safety, toxicity and suitability of the product under these conditions, and obtaining additional or clarifying information where uncertainty exists. No guarantee expressed or implied is made as to the effects of such use, the results to be obtained, or the safety and toxicity of the product in any specific application. Furthermore, the information herein is not represented as absolutely complete, since it is not practicable to provide all the scientific and study information in the format of this document, plus additional information may be necessary under exceptional conditions of use, or because of applicable laws or government regulations.

Mineral Seal Oil

4151 Version #: 03 Revison date: 1-Oct 2015 Print date: 20-May-2014